


Roopal Si-6802 (n-Octyltriethoxy silane) Technical Data Sheet



Property Description	Specifications
Appearance	Colorless transparent liquid
CAS#	2943-75-1
Molecular Weight g/mole	276.6
Specific Gravity (p20*c, g/cm3)	0.874-0.884
Refractive Index (n 25 °C D)	1.416-1.418
Color (APHA)	25 Max
Purity%	97.0 Min

Applications:

- Octyltriethoxy silane can be used as a surface modifier to generate hydrophobicity on concrete, glass, inorganic pigment or mineral fillers
- When diluted with an appropriate solvent, it can be used in the formulation of water repellent products.

Packing 180kg Drums

Disclaimer: Users should use this information, only as a supplement to other information gathered by them, and should make their own independent judgement of suitability of this information to ensure proper use while protecting health & safety of employees/ users. We recommend thorough testing in the lab for its suitability before its use in the production. We make no warranty whether expressed or implied, including warranties of merchantability or fitness for particular purpose. Neither do we assume any responsibility for infringement of third parties patent rights which may arise from the use of this product.